



SUPER TWEETER

NV-007



Specifications

Power Rating	300-500 W
Impedance	8 Ohm
Frequency Range	1.5-17 KHz
Average Sensitivity	110 dB
Bracket	Black ABS
Bracket size	7 x 7 Inch
Magnet Dimension	145 x 20 mm
Voice Coil Diameter	72.2 mm
Voice Coil Material	CCAW with Kapton



Email : nanovaspeaker@yahoo.co.th

facebook : <http://m.facebook.com/nanova.speaker>

fanpage : www.facebook.com/nanovaidolthailand




SUPER TWEETER

NV-006



Specifications

Power Rating	250 W
Impedance	8 Ohm
Frequency Range	1.8 - 18 KHz
Average Sensitivity	100 dB
Bracket	Black ABS
Bracket size	4.5 x 4.5 Inch
Magnet Dimension	100 x 15 mm
Voice Coil Material	SV Wire with Kapton



Email : nanovaspeaker@yahoo.co.th

facebook : <http://m.facebook/nanova.speaker>

fanpage : www.facebook.com/nanovaidolthailand




SUPER TWEETER

NV-555



Specifications

Power Rating	100 W
Impedance	8 Ohm
Frequency Range	1 - 17 KHz
Average Sensitivity	100 dB
Bracket	Black ABS
Bracket size	3.5 x 3.5 Inch
Magnet Dimension	80 x 12 mm
Voice Coil Material	SV Wire with Kapton



Email : nanovaspeaker@yahoo.co.th

facebook : <http://m.facebook/nanova.speaker>

fanpage : www.facebook.com/nanovaidolthailand

