


SUPER TWEETER



NV-007

Specifications

Power Rating	300–500 W
Impedance	8 Ohm
Frequency Range	1.5 – 17 kHz
Average Sensitivity	110 dB
Basket	Black ABS
Basket size	7 x 7 Inches
Magnet Dimension	145 x 20 mm
Voice Coil Diameter	62.05 mm
Voice Coil Material	SV Wire with Kapton



Email : nanovaspeaker@yahoo.co.th
facebook : <http://m.facebook.com/nanova.speaker>
fanpage : www.facebook.com/nanovaidolthailand




SUPER TWEETER



NV-006

Specifications

Power Rating	250 W
Impedance	8 Ohm
Frequency Range	1.8 – 18 kHz
Average Sensitivity	100 dB
Basket	Black ABS
Basket size	4.5 x 4.5 Inches
Magnet Dimension	100 x 15 mm
Voice Coil Diameter	30.01 mm
Voice Coil Material	SV Wire with Kapton



Email : nanovaspeaker@yahoo.co.th

facebook : <http://m.facebook.com/nanova.speaker>

fanpage : www.facebook.com/nanovaidolthailand




SUPER TWEETER



NV-555

Specifications

Power Rating	100 W
Impedance	8 Ohm
Frequency Range	1 – 17 kHz
Average Sensitivity	100 dB
Basket	Black ABS
Basket size	3.5 x 3.5 Inches
Magnet Dimension	80 x 12 mm
Voice Coil Diameter	25.45 mm
Voice Coil Material	SV Wire with Kapton.




Email : nanovaspeaker@yahoo.co.th

facebook : <http://m.facebook.com/nanova.speaker>

fanpage : www.facebook.com/nanovaidolthailand



SUPER TWEETER



NGV-68

Specifications

Horn Material	ABS
Mouth Width	195 mm
Mount Height	155 mm
Mouth depth	131 mm
Dome	Metal
Mouthing Flange Thickness	5 mm
Voice Coil Material	Copper Wire
Diaphragm	Phenolic
Voice Coil Diameter	25.4 mm
Frequency Range	2K – 16K
Power Range	30 W
Average Sensitivity	99 dB
Impedance	8 Ohm


Email : nanovaspeaker@yahoo.co.th

facebook : <http://m.facebook.com/nanova.speaker>

fanpage : www.facebook.com/nanovaidolthailand



SUPER TWEETER



NV-681

Specifications

Horn Material	ABS
Mouth Width	195 mm
Mount Height	155 mm
Mouth depth	131 mm
Dome	Metal
Mouthing Flange Thickness	5 mm
Voice Coil Material	Flat (Copper Clad Aluminum Wire)
Diaphragm	Phenolic
Voice Coil Diameter	25.4 mm
Frequency Range	2K – 18K
Power Range	30 W
Average Sensitivity	105 dB
Impedance	8 Ohm

Email : nanovaspeaker@yahoo.co.th

facebook : <http://m.facebook/nanova.speaker>

fanpage : www.facebook.com/nanovaidolthailand

